



CERTIFICATE OF INSTALLATION		CF2R-MCH-01-E
Space Conditioning Systems Ducts and Fans		(Page 1 of 8)
Project Name:	Enforcement Agency:	Permit Number:
Dwelling Address:	City	Zip Code

A. General Information			
01	Dwelling Unit Name		02 Climate Zone:
03	Dwelling Unit Conditioned Floor Area (ft <sup>2</sup> )		04 Number of Space Conditioning Systems in this dwelling unit
05	Certificate of Compliance Type		06 method used to calculate HVAC loads
07	Calculated Dwelling Unit Sensible Cooling Load (Btuh)		08 Calculated Dwelling Unit Heating Load (Btuh)

**CF2R-MCH-01a – Space Conditioning Systems Ducts and Fans - For use with Performance Certificate of Compliance>>**

B. Design Space Conditioning (SC) System Component Specifications from CF1R											
This table reports the space conditioning system features that were specified on the registered CF1R-PRF compliance document for this project.											
01	02	03	04	05	06	07	08	09	10	11	12
Zone Name	Space Conditioning System Identification or Name	Space Conditioning System Type	Heating System Type	Cooling System Type	Space Conditioning Fan Type	Distribution System Type	Required Thermostat Type	Low Leakage Air-Handling Unit (LLAHU) Status	Bypass Duct Status	Cooling Zoning Type	Cooling System Compressor Speed Type

Notes:



CERTIFICATE OF INSTALLATION		CF2R-MCH-01-E
Space Conditioning Systems Ducts and Fans		(Page 2 of 8)
Project Name:	Enforcement Agency:	Permit Number:
Dwelling Address:	City	Zip Code

**C. Design Space Conditioning (SC) System Compliance Requirements from CF1R**

This table reports the space conditioning system features that were specified on the registered CF1R-PRF compliance document for this project.

01	02	03	04	05	06	07	08	09	10
Space Conditioning System Identification or Name	Heating Efficiency Type	Minimum Heating Efficiency Value	Heat Pump Heating Capacity @ 47F	Heat Pump Heating Capacity @ 17F	Minimum Cooling Efficiency SEER	Minimum Cooling Efficiency EER	Minimum Cooling System Airflow Rate (cfm/ton)	Maximum Cooling W/CFM	Minimum Duct R-Value
Notes:									

**D. Installed Space Conditioning (SC) System Component Information**

01	02	03	04	05	06	07	08	09	10	11
SC System Identification or Name	SC System Location or Area Served	Conditioned Floor Area Served by the System (ft2)	Heating System Type	Cooling System Type	Space Conditioning Fan Type	Distribution System Type	SC System Thermostat Type	Cooling Zoning Type	Cooling System Compressor Speed Type	Central Fan Integrated (CFI) Ventilation System Status
Notes:										



<b>CERTIFICATE OF INSTALLATION</b>		<b>CF2R-MCH-01-E</b>
Space Conditioning Systems Ducts and Fans		(Page 3 of 8)
Project Name:	Enforcement Agency:	Permit Number:
Dwelling Address:	City	Zip Code

E. Installed Heating System Equipment Information (not heat pumps)							
01	02	03	04	05	06	07	08
SC System Identification or Name	SC System Location or Area Served	Heating Efficiency Type	Heating Efficiency Value	Heating Unit Manufacturer	Heating Unit Model Number	Heating Unit serial number	Rated Heating Capacity, Output (BTUH)
Notes:							

F. Installed Cooling System Outdoor Condensing Unit or Package Unit Equipment Information (not heat pumps)								
01	02	03	04	05	06	07	08	09
SC System Identification or Name	SC System Location or Area Served	Cooling Efficiency SEER	Cooling Efficiency EER	Condenser or Package Unit Manufacturer	Condenser or Package Unit Model Number	Condenser or Package Unit Serial Number	System Rated Cooling Capacity at Design Conditions (BTUH)	Condenser Rated Nominal Cooling Capacity (ton)
Notes:								



<b>CERTIFICATE OF INSTALLATION</b>		<b>CF2R-MCH-01-E</b>
Space Conditioning Systems Ducts and Fans		(Page 4 of 8)
Project Name:	Enforcement Agency:	Permit Number:
Dwelling Address:	City	Zip Code

**G. Installed Split System Indoor Coil or Fan Coil Unit Equipment Information (applicable to DX or hydronic heating/cooling coils or fan coil units).**  
Systems with more than one indoor coil or fan coil unit (e.g. multi-split systems) shall provide information for each of the system indoor coils or fan coil units.

01	02	03	04	05
SC System Identification or Name	SC System Location or Area Served	Indoor Coil or Fan Coil Unit Manufacturer	Indoor Coil or Fan Coil Unit Model Number	Indoor Coil or Fan Coil Unit serial number

Notes:

**H. Installed Heat Pump System – Split System Condensing Unit or Package Unit Equipment Information**

01	02	03	04	05
SC System Identification or Name	SC System Location or Area Served	Condenser or Package Unit Manufacturer	Condenser or Package Unit Model Number	Condenser or Package Unit Serial Number

Notes:

**I. Installed Heat Pump System – Efficiency and Performance Compliance Information**

01	02	03	04	05	06	07	08	09	10
SC System Identification or Name	SC System Location or Area Served	Heating Efficiency Type	Heating Efficiency Value	System Rated Heating Capacity at 47F	System Rated Heating Capacity at 17 F	System Rated Cooling Efficiency SEER	System Rated Cooling Efficiency EER	System Rated Cooling Capacity at Design Conditions (BTUH)	Condenser Rated Nominal Cooling Capacity (ton)

Notes:



<b>CERTIFICATE OF INSTALLATION</b>		<b>CF2R-MCH-01-E</b>
Space Conditioning Systems Ducts and Fans		(Page 5 of 8)
Project Name:	Enforcement Agency:	Permit Number:
Dwelling Address:	City	Zip Code

<b>J. Installed Duct System information</b>										
01	02	03	04	05	06	07	08	09	10	11
SC System Identification or Name	SC System Location or Area Served	Supply Duct Location	Supply Duct R-Value	Return Duct Location	Return Duct R-Value	Exemption from Min R-Value for Ducts In Conditioned Space	Method of compliance with duct and filter grille sizing Req's in 150.0(m)13	Exemption From Duct Leakage Requirements	Bypass Duct Status	Number of Air Filter Devices on System
Notes:										

<b>K. Installed Air Filter Device Information</b>						
Mandatory requirements for air filter devices are specified Section 150.0(m)12.						
01	02	03	04	05	06	07
SC System Identification or Name	SC System Location or Area Served	Air Filter Identification or Name	Air Filter Device Type	Air Filter Device Location	Determined Design Airflow Rate for Air Filter Device (cfm)	Determined Design Allowable Pressure Drop for Air Filter Device (inch W.C.)
Notes:						



CERTIFICATE OF INSTALLATION		CF2R-MCH-01-E
Space Conditioning Systems Ducts and Fans		(Page 6 of 8)
Project Name:	Enforcement Agency:	Permit Number:
Dwelling Address:	City	Zip Code

L. Air Filter Device Requirements	
01	The system shall be designed to ensure that all recirculated air and all outdoor air supplied to the occupiable space is filtered before passing through the system's thermal conditioning components.
02	The system shall be designed to accommodate the clean-filter pressure drop imposed by the system air filter device(s). The design airflow rate and maximum allowable clean-filter pressure drop at the design airflow rate applicable to each air filter device shall be determined, and all system air filter device locations shall be labeled to disclose the applicable design airflow rate and the maximum allowable clean-filter pressure drop. The labels shall be permanently affixed to the air filter device, readily legible, and visible to a person replacing the air filter media, and the air filter devices shall be provided with air filter media that conforms to these determined/labeled maximum allowable clean-filter pressure drop values as rated using AHRI Standard 680.
03	All system air filter devices shall be located and installed in such a manner as to allow access and regular service by the system owner.
04	The system shall be provided with air filter media having a designated efficiency equal to or greater than MERV 6 when tested in accordance with ASHRAE Standard 52.2, or a particle size efficiency rating equal to or greater than 50 percent in the 3.0–10 µm range when tested in accordance with AHRI Standard 680.
05	The system shall be provided with air filter media that has been labeled by the manufacturer to disclose the efficiency and pressure drop ratings that conform to the required efficiency and pressure drop requirements for the air filter device.
<b>The responsible person's signature on this compliance document affirms that all applicable requirements in this table have been met.</b>	

M. HERS Verification Requirements										
01	02	03	04	05	06	07	08	09	10	11
SC System Identification or Name	SC System Location or Area Served	MCH-20  Duct Leakage Test	MCH-21  Duct Location Verification	MCH-22  AHU Fan Efficacy (W/cfm)	MCH-23  AHU Airflow Rate (cfm/ton)	MCH-25  Refrigerant Charge	MCH-26  Rated SC System Equipment Verification	MCH-28  Return Duct Design - Table 150.0-C or D	MCH-29  Supply Duct Surface Area R-Value Buried Ducts	MCH30  Ventilation Cooling Credit
Notes:										



CERTIFICATE OF INSTALLATION		CF2R-MCH-01-E
Space Conditioning Systems Ducts and Fans		(Page 7 of 8)
Project Name:	Enforcement Agency:	Permit Number:
Dwelling Address:	City:	Zip Code:

#### N. Space Conditioning Systems, Ducts and Fans – Mandatory Requirements and Additional Measures

Note: Additional mandatory requirements from Section 150.0 that are not listed here may be applicable to some systems. These requirements may be applicable to only newly installed equipment or portions of the system that are altered. Existing equipment may be exempt from these requirements.

##### Heating Equipment

01	Equipment Efficiency: All heating equipment must meet the minimum efficiency requirements of Section 110.1 and Section 110.2(a) and the Appliance Efficiency Regulations.
02	Controls: All unitary heating systems, including heat pumps, must be controlled by a setback thermostat. These thermostats must be capable of allowing the occupant to program the temperature set points for at least four different periods in 24 hours. See Sections 150.0(i), 110.2(b).
03	Sizing: Heating load calculations must be done on portions of the building served by new heating systems to prevent inadvertent undersizing or oversizing. See sections 150.0(h)1 and 2).
04	Furnace Temperature Rise: Central forced-air heating furnace installations must be configured to operate at or below the furnace manufacturer's maximum inlet-to-outlet temperature rise specification. See Section 150.0(h)4.
05	Standby Losses and Pilot Lights: Fan-type central furnaces may not have a continuously burning pilot light. Section 110.5 and Section 110.2(d).

##### Cooling Equipment

06	Equipment Efficiency: All cooling equipment must meet the minimum efficiency requirements of Section 110.1 and Section 110.2(a) and the Appliance Efficiency Regulations.
07	Refrigerant Line Insulation: All refrigerant line insulation in split system air conditioners and heat pumps must meet the R-value and protection requirements of Section 150.0(j)2 and 3, and Section 150.0(m)9.
08	Condensing Unit Location: Condensing units shall not be placed within five (5) feet of a dryer vent outlet. See Section 150.0(h)3A.
09	Sizing: Cooling load calculations must be done on portions of the building served by new cooling systems to prevent inadvertent undersizing or oversizing. See Section 150.0(h)1 and 2.

##### Air Distribution System Ducts, Plenums and Fans

10	Insulation: In all cases, unless ducts are enclosed entirely in directly conditioned space, the minimum duct insulation value is R-6. Note that higher values may be required by the prescriptive or performance requirements. See Section 150.0(m)1.
11	Connections and Closures: All installed air-distribution system ducts and plenums must be, sealed and insulated to meet the requirements of CMC Sections 601.0, 602.0, 603.0, 604.0, 605.0 and ANSI/SMACNA-006-2006: Supply-air and return-air ducts and plenums must be insulated to a minimum installed level of R-6.0 or enclosed entirely in directly conditioned space as confirmed through field verification and diagnostic testing in accordance with the requirements of Reference Residential Appendix RA3.1.4.3.8.

##### Heat Pump Thermostat

12	A thermostat shall be installed that meets the requirements of Section 110.2(b) and Section 110.2(c).
13	The thermostat shall be installed in accordance with the manufacturers published installation specifications.
14	First stage of heating shall be assigned to heat pump heating.
15	Second stage back up heating shall be set to come on only when the indoor set temperature cannot be met.

**The responsible person's signature on this compliance document affirms that all applicable requirements in this table have been met.**



CERTIFICATE OF INSTALLATION		CF2R-MCH-01-E
Space Conditioning Systems Ducts and Fans		(Page 8 of 8)
Project Name:	Enforcement Agency:	Permit Number:
Dwelling Address:	City	Zip Code

**DOCUMENTATION AUTHOR'S DECLARATION STATEMENT**

1. I certify that this Certificate of Installation documentation is accurate and complete.

Documentation Author Name:	Documentation Author Signature:
Documentation Author Company Name:	Date Signed:
Address:	CEA/HERS Certification Identification (if applicable):
City/State/Zip:	Phone:

**RESPONSIBLE PERSON'S DECLARATION STATEMENT**

I certify the following under penalty of perjury, under the laws of the State of California:

- The information provided on this Certificate of Installation is true and correct.
- I am eligible under Division 3 of the Business and Professions Code in the applicable classification to accept responsibility for the system design, construction, or installation of features, materials, components, or manufactured devices for the scope of work identified on this Certificate of Installation, and attest to the declarations in this statement (responsible builder/installer), otherwise I am an authorized representative of the responsible builder/installer.
- The constructed or installed features, materials, components or manufactured devices (the installation) identified on this Certificate of Installation conforms to all applicable codes and regulations, and the installation conforms to the requirements given on the plans and specifications approved by the enforcement agency.
- I reviewed a copy of the Certificate of Compliance approved by the enforcement agency that identifies the specific requirements for the scope of construction or installation identified on this Certificate of Installation, and I have ensured that the requirements that apply to the construction or installation have been met.
- I will ensure that a registered copy of this Certificate of Installation shall be posted, or made available with the building permit(s) issued for the building, and made available to the enforcement agency for all applicable inspections. I understand that a registered copy of this Certificate of Installation is required to be included with the documentation the builder provides to the building owner at occupancy.

Responsible Builder/Installer Name:	Responsible Builder/Installer Signature:	
Company Name: (Installing Subcontractor or General Contractor or Builder/Owner)	Position With Company (Title):	
Address:	CSLB License:	
City/State/Zip:	Phone	Date Signed:



**User Instruction for CF2R-MCH-01a****Section A. General Information**

- 1 This field is filled out automatically. It is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document.
- 2 This field is filled out automatically. It is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document.
- 3 This field is filled out automatically. It is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document.
- 4 This field is filled out automatically. It is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document. This value may be overwritten in this document but valid discrepancies with the CF1R are atypical. Overwriting the default value will automatically flag this entry and subject it to additional scrutiny by QA and enforcement personnel.
- 5 This field is filled out automatically. It is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document.
- 6 Oversized equipment can result in reduced efficiency and capacity. Entirely new systems (see definition in Section 9.6.9 of the RCM) must be properly sized to match the heating and cooling load of the space that it serves. To do this, heating and cooling load calculations must be performed using an approved calculation methodology. These are listed here. Select the load calculation methodology used for this dwelling unit. If the project consists of a partial replacement of equipment or ducts (change-out) then load calculations are not required. Select N/A. Load calculations are always recommended, especially if the loads of the house have been changed since the original equipment has been installed (reduced via weatherization, other improvements).
- 7 Enter the total sensible cooling load for the dwelling unit described by this document. For projects involving dwelling units with more than one system, this will be a sum of the loads for the parts of the dwelling unit served by those systems. If the project consists of a partial replacement of equipment or ducts (change-out) then load calculations are not required. Select N/A.
- 8 Enter the total heating load for the dwelling unit described by this document. For projects involving dwelling units with more than one system, this will be a sum of the loads for the parts of the dwelling unit served by those systems. If the project consists of a partial replacement of equipment or ducts (change-out) then load calculations are not required. Select N/A.

**Section B. Design Space Conditioning (SC) System Component Specifications from CF1R.**

- 1 This field is filled out automatically. It is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document.
- 2 This field is filled out automatically. It is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document.
- 3 This field is filled out automatically. It is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document.
- 4 This field is filled out automatically. It is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document.
- 5 This field is filled out automatically. It is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document.
- 6 This field is filled out automatically. It is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document.
- 7 This field is filled out automatically. It is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document.
- 8 This field is filled out automatically. It is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document.
- 9 This field is filled out automatically. It is determined based on entries on the Certificate of Compliance (CF1R), which must be completed prior to this document.
- 10 This field is filled out automatically. It is determined based on entries on the Certificate of Compliance (CF1R), which must be completed prior to this document.

- 11 This field is filled out automatically. It is determined based on entries on the Certificate of Compliance (CF1R), which must be completed prior to this document.
- 12 This field is filled out automatically. It is determined based on entries on the Certificate of Compliance (CF1R), which must be completed prior to this document.

### **Section C. Design Space Conditioning (SC) System Compliance Requirements from CF1R.**

1. This field is filled out automatically. It is referenced from the same row and column in the previous section.
2. This field is filled out automatically. It is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document.
3. This field is filled out automatically. It is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document.
4. This field is filled out automatically. It is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document.
5. This field is filled out automatically. It is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document.
6. This field is filled out automatically. It is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document.
7. This field is filled out automatically. It is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document.
8. This field is filled out automatically. It is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document.
9. This field is filled out automatically. It is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document.
10. This field is filled out automatically. It is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document.

### **Section D. Installed Space Conditioning (SC) System Component Information.**

1. Select System name from the list of systems identified in previous sections and originally specified on the CF1R.
2. Briefly describe the area served by this system. Examples: entire house, upstairs, downstairs, sleeping area, north wing, etc.
3. Enter the conditioned floor area served by the system described in this row. The total value of this column for all rows must equal the total dwelling unit conditioned floor area as shown in Section A.
4. This field is filled out automatically. It appears in Section B and is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document. This value may be overwritten in this document but valid discrepancies with the CF1R are atypical. Overwriting the default value will automatically flag this entry and subject it to additional scrutiny by QA and enforcement personnel.
5. This field is filled out automatically. It appears in Section B and is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document. This value may be overwritten in this document but valid discrepancies with the CF1R are atypical. Overwriting the default value will automatically flag this entry and subject it to additional scrutiny by QA and enforcement personnel.
6. This field is filled out automatically. It appears in Section B and is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document. This value may be overwritten in this document but valid discrepancies with the CF1R are atypical. Overwriting the default value will automatically flag this entry and subject it to additional scrutiny by QA and enforcement personnel.
7. This field is filled out automatically. It appears in Section B and is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document. This value may be overwritten in this document but valid discrepancies with the CF1R are atypical. Overwriting the default value will automatically flag this entry and subject it to additional scrutiny by QA and enforcement personnel.

8. This field is filled out automatically. It appears in Section B and is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document. This value may be overwritten in this document but valid discrepancies with the CF1R are atypical. Overwriting the default value will automatically flag this entry and subject it to additional scrutiny by QA and enforcement personnel.
9. This field is filled out automatically. It appears in Section B and is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document. This value may be overwritten in this document but valid discrepancies with the CF1R are atypical. Overwriting the default value will automatically flag this entry and subject it to additional scrutiny by QA and enforcement personnel.
10. This field is filled out automatically. It appears in Section B and is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document. This value may be overwritten in this document but valid discrepancies with the CF1R are atypical. Overwriting the default value will automatically flag this entry and subject it to additional scrutiny by QA and enforcement personnel.
11. Central fan integrated ventilation systems may be subject to additional field verification. See definition in Section 100.1 of the 2013 Building Energy Efficiency Standards. Select the correct description that applies to the system described in this row.

#### Section E. Installed Heating System Information (not heat pumps)

1. This field is filled out automatically. It is referenced from the same row and column in the previous section.
2. This field is filled out automatically. It is referenced from the same row and column in the previous section.
3. This field is filled out automatically. It is referenced from the same row and column in Section C.
4. Enter the certified heating efficiency of the *installed* equipment. This value is verified against the minimum value shown in Section C. The installed efficiency must be greater than or equal to the required minimum efficiency.
5. Enter the name of the *installed* Heating Unit Manufacturer as shown on the equipment nameplate.
6. Enter the name of the *installed* Heating Unit Model Number as shown on the equipment nameplate.
7. Enter the name of the *installed* Heating Unit Serial number as shown on the equipment nameplate.
8. Enter the rated heating capacity (output) of the *installed* Heating Unit in BTUs per hour.

#### Section F. Installed Cooling System Outdoor Unit or Package Unit Equipment Information (not heatpump)

1. This field is filled out automatically. It is referenced from the same row and column in the previous section.
2. This field is filled out automatically. It is referenced from the same row and column in the previous section.
3. Enter the certified cooling efficiency (SEER) of the *installed* equipment. This value is verified against the minimum value shown in Section C. The installed efficiency must be greater than or equal to the required minimum efficiency.
4. Enter the certified cooling efficiency (EER) of the *installed* equipment. This value is verified against the minimum value shown in Section C. The installed efficiency must be greater than or equal to the required minimum efficiency.
5. Enter the name of the *installed* Condenser or Package Unit Manufacturer as shown on the equipment nameplate.
6. Enter the name of the *installed* Condenser or Package Unit Model Number as shown on the equipment nameplate.
7. Enter the name of the *installed* Condenser or Package Unit Serial Number as shown on the equipment nameplate.

8. Enter the rated sensible cooling capacity at design conditions of the *installed* cooling system in BTUs per hour.
9. Enter the *installed* Condenser Rated Nominal Cooling Capacity in tons. Note that this is based on the condenser, not the coil or air handler. This can usually be determined by the condenser model number.

#### **Section G. Installed Split System Indoor Coil or Fan Coil Unit Equipment information (applicable to DX or hydronic heating/cooling coils or fan coil units)**

1. This field is filled out automatically. It is referenced from the same row and column in the previous sections.
2. This field is filled out automatically. It is referenced from the same row and column in the previous sections.
3. Enter the name of the *installed* Indoor Coil or Fan Coil Unit Manufacturer as shown on the equipment nameplate.
4. Enter the name of the *installed* Indoor Coil or Fan Coil Unit Model Number as shown on the equipment nameplate.
5. Enter the name of the *installed* Indoor Coil or Fan Coil Unit Serial Number as shown on the equipment nameplate.

#### **Section H. Installed Heat Pump System – Split System Condensing Unit or Package Unit Equipment Information**

1. This field is filled out automatically. It is referenced from the same row and column in the previous sections.
2. This field is filled out automatically. It is referenced from the same row and column in the previous sections.
3. Enter the name of the *installed* Heat Pump Condenser or Package Unit Manufacturer as shown on the equipment nameplate.
4. Enter the name of the *installed* Heat Pump Condenser or Package Unit Model Number as shown on the equipment nameplate.
5. Enter the name of the *installed* Heat Pump Condenser or Package Unit Serial Number as shown on the equipment nameplate.

#### **Section I. Installed Heat Pump System – Efficiency and Performance Compliance Information**

1. This field is filled out automatically. It is referenced from the same row and column in the previous sections.
2. This field is filled out automatically. It is referenced from the same row and column in the previous sections.
3. This field is filled out automatically. It is referenced from the same row in Section C.
4. Enter the certified heating efficiency of the *installed* equipment. This value is verified against the minimum value shown in Section C. The installed efficiency must be greater than or equal to the required minimum efficiency.
5. Enter the certified heating capacity at 47F of the *installed* equipment. This value is verified against the minimum value shown in Section C. The installed capacity must be greater than or equal to the required minimum capacity.
6. Enter the certified heating capacity at 17F of the *installed* equipment. This value is verified against the minimum value shown in Section C. The installed capacity must be greater than or equal to the required minimum capacity.
7. Enter the certified cooling efficiency (SEER) of the *installed* equipment. This value is verified against the minimum value shown in Section C. The installed efficiency must be greater than or equal to the required minimum efficiency.
8. Enter the certified cooling efficiency (EER) of the *installed* equipment. This value is verified against the minimum value shown in Section C. The installed efficiency must be greater than or equal to the required minimum efficiency.
9. Enter the rated sensible cooling capacity at design conditions of the *installed* cooling system in BTUs per hour.

10. Enter the *installed* Condenser Rated Nominal Cooling Capacity in tons. Note that this is based on the condenser, not the coil or air handler. Can usually be determined by the condenser model number.

### Section J. Installed Duct System Information

1. This field is filled out automatically. It is referenced from the same row and column in the previous sections.
2. This field is filled out automatically. It is referenced from the same row and column in the previous sections.
3. This field is filled out automatically. It appears in Section B and D, and is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document. This value may be overwritten in this document but valid discrepancies with the CF1R are atypical. Overwriting the default value will automatically flag this entry and subject it to additional scrutiny by QA and enforcement personnel.
4. Enter the R-value of the *installed* supply ducts. This value is verified against the minimum value shown in Section C. The installed R-value must be greater than or equal to the required minimum R-value.
5. This field is filled out automatically. It appears in Section B and D, and is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document. This value may be overwritten in this document but valid discrepancies with the CF1R are atypical. Overwriting the default value will automatically flag this entry and subject it to additional scrutiny by QA and enforcement personnel.
6. Enter the R-value of the *installed* return ducts. This value is verified against the minimum value shown in Section C. The installed R-value must be greater than or equal to the required minimum R-value.
7. The duct system is exempt from the minimum R-value requirement if all of the ducts are located entirely within conditioned space. If indicated as such in the previous columns, the user may select “yes” to indicate the exemption. Note: Selecting “yes” may subject the duct system to additional HERS verification.
8. For newly constructed systems taking the performance credit for better than default air flow or fan efficacy, field verification of these criteria is required and this field is filled out automatically. Otherwise, the user may pick the appropriate choice. Refer to section 150.0(m)13 and Residential Compliance Manual Chapter 4.4 for more information.
9. Altered existing duct systems may be exempt from duct sealing and testing requirements. If so, the exemption may be indicated here. The default value here is “No Exemptions”. Overwriting the default value will automatically flag this entry and subject it to additional scrutiny by QA and enforcement personnel.
10. This field is filled out automatically. It appears in Section B, and is referenced from the Certificate of Compliance (CF1R), which must be completed prior to this document. This value may be overwritten in this document but valid discrepancies with the CF1R are atypical. Overwriting the default value will automatically flag this entry and subject it to additional scrutiny by QA and enforcement personnel.
11. Specify the number of air filter devices installed in this space conditioning system. Air filter devices installed in completely new systems must be properly sized, as documented in the next section. The value entered here will determine the number of rows needed in the following section.

### Section K. Installed Air Filter Device Information

1. This field is filled out automatically. It is referenced from the same row and column in the previous sections.
2. This field is filled out automatically. It is referenced from the same row and column in the previous sections.

3. Enter a descriptive name of each air filter device so that it may be distinguished from others in the same system. Examples: FG1, filter2, etc.
4. Select the appropriate type of filter device from the list.
5. Enter a descriptive name of each air filter device so that it may be identified in the home. Examples: master suite, main hallway, at furnace, entry wall, etc.
6. Enter the design flow in CFM of the filter device. The total for all filter devices in a single system should be greater than or equal to the total system design CFM in cooling mode (or heating mode for heat-only systems).
7. Enter the design static pressure drop provided by the filter device manufacturer. This should be consistent with the duct design calculations. Not accounting for higher filter pressure drops will result in poor system airflow characteristics, reduced capacity and reduced efficiency. This may result in not passing field verification.

#### **Section L. Air Filter Device Requirements.**

<no input fields>

#### **Section M. HERS Verification Requirements**

1. This field is filled out automatically. It is calculated based on data from the CF1R and from previous sections in this document.
2. This field is filled out automatically. It is calculated based on data from the CF1R and from previous sections in this document.
3. This field is filled out automatically. It is calculated based on data from the CF1R and from previous sections in this document.
4. This field is filled out automatically. It is calculated based on data from the CF1R and from previous sections in this document.
5. This field is filled out automatically. It is calculated based on data from the CF1R and from previous sections in this document.
6. This field is filled out automatically. It is calculated based on data from the CF1R and from previous sections in this document.
7. This field is filled out automatically. It is calculated based on data from the CF1R and from previous sections in this document.
8. This field is filled out automatically. It is calculated based on data from the CF1R and from previous sections in this document.
9. This field is filled out automatically. It is calculated based on data from the CF1R and from previous sections in this document.
10. This field is filled out automatically. It is calculated based on data from the CF1R and from previous sections in this document.
11. This field is filled out automatically. It is calculated based on data from the CF1R and from previous sections in this document.

#### **Section N. Space Conditioning Systems, Ducts and Fans – Mandatory Requirements and Additional Measures**

<no input fields>